

October 2005
(1st version)

Standard Commodity Classification No. of Japan
875200

- Kampo product -

OHSUGI Shohangekabukuryoto Extract Granules G

(Shohangekabukuryoto)

Storage: Store at room temperature. See the section "PRECAUTIONS FOR HANDLING" Expiration date: The expiration date is specified on the container or the outer package
--

Approval No.	(02AM) 0790
Date of listing in the NHI reimbursement price	July 1992
Date of initial marketing in Japan	July 1992

DESCRIPTION

(1) The daily dose of this product, 3.0g, contains 0.9g of the dried extract (Shohangekabukuryoto extract) from the following mixed crude drugs.

JP Pinellia Tuber ----- 8 g
JP Ginger ----- 2 g
JP Poria Sclerotium ----- 8 g

(JP: The Japanese Pharmacopeia)

The inactive ingredients contained are Lactose Hydrate, Corn Starch and Magnesium Stearate.

(2) This product is light grayish dark brown to light grayish brown-colored granules, smells slightly, and tastes none initially but slightly hot and lingeringly pungent later.
ID Code: SG-21

INDICATIONS

Hyperemesis gravidarum, vomiting, and nausea

DOSAGE AND ADMINISTRATION

The usual adult dose is 3.0 g/day orally in 2 or 3 times before or between meals. The dosage may be adjusted according to the patient's age, body weight, and symptoms.

PRECAUTIONS

(1) Important Precautions

- When this product is used, the patient's "SHO" (constitution/symptoms) should be taken into account. The patient's progress should be carefully monitored, and if no improvement in symptoms/findings is observed, continuous treatment should be avoided.
- When this product is coadministered with other Kampo-products (Japanese traditional herbal medicines), etc. attention should be paid to any duplication of the contained crude drugs.

(2) Use in the Elderly

Because elderly patients often have reduced physiological function, careful supervision and measures such as reducing the dose are recommended.

(3) Use during Pregnancy, Delivery or Lactation

The safety of this product in pregnant woman has not been established. Therefore, the product should be used in pregnant women, women who may possibly be pregnant only if the expected therapeutic benefit outweigh the possible risks associated with treatment.

(6) Pediatric Use

The safety of this product in children has not been established.
[Insufficient clinical data]

PRECAUTIONS FOR HANDLING

- Store at dry and cool place, protected from direct sunlight.
- Since this product contains natural crude drugs, some differences may be noted in the color or taste, etc. However, there is no change in the effect.

PACKAGING

500g
294g (1.0g x 294 packets)
84g (1.0g x 84 packets)

REQUEST FOR LITERATURE SHOULD BE MADE TO:

Dep. of PMS Information,
Ohsugi Pharmaceutical Co., Ltd.
1-8-6, Yamasaka, Higashisumiyoshi-ku, Osaka 546-0035
050-3776-0358